

SODICK – náhradné diely

**Dodávame aj ďalšie náhradné diely,
ktoré nie sú uvedené v tejto kapitole.**


V prípade, že nenájdete požadovaný náhradný diel, nás neváhajte kontaktovať.





Prúdové kontakty




Obj.č.	Kód výrobcu	Foto	Popis	Aplikácia
S001	3080316		Conductivity piece B (upper) D=18 x 10 mm Guide uni	G 330W.453W.654W.G3A.G5A AWT83- type
S002	3080314		Conductivity piece A (lower) D=18 x 14 mm / Cermit Guide unit type 83.84	G, EPOC, AW 330W.453W.654W.G3A.G5A AWT-83.84- type
S003S	3080318		Conductivity piece C (upper) 16 x 10 mm / Silver tungsten	G, EPOC, AW EPOC3W.330W.453W.654W. GW3.GW4.GW5.G3A.G5A. GOW3.GOW5 AWT84- type 83,84 type
S003T			Conductivity piece C (upper) 16 x 10 mm / Cermit	
S004S	3080324		Conductivity piece S (upper) 14 x 11 x 12 mm / Silver tungsten	AW330. Guide unit 85-3 type (Nozzle 2) AWT84- type
S005LS	3080307		Conductivity piece D (UT) 12.5 x 14 x 11.7 mm / Silver tungsten	G, EPOC, W, BF, AP300 GOW3.GOW5.GO3.GO5.GW3.G W5.AW453.3WS. BF250/275. series EPOC3W/5W/6W/8W/S300 Unit 85-2. 85-3 type with nozzle 3WS Manual type
S005RS	3080308		Conductivity piece D (DT) 12.5 x 14 x 11.7 mm / Silver tungsten	
S005LT			Conductivity piece D (UT) 12.5 x 14 x 11.7 mm / Cermit	
S005RT			Conductivity piece D (DT) 12.5 x 14 x 11.7 mm / Cermit G	
S006S	3080311		Conductivity piece D (lower) 12.5 x 19 x 11.6 mm / Silver tungsten	G, EPOC, AW, BF, AP300 GO3.GO5.GW3.GW5.GOW3.GO W5.AW453. EPOC3W/3WS/5W/6W/8W/300 series. BF250/275 series Guide unit type 85-2.85-3
S006T	3080312		Conductivity piece D (lower) 12.5 x 19 x 11.6 mm / Cermit	
S007S	3081325		Power feed contact upper and lower 10x10x20	PWG150 AP (150W/150)










S008S	3080320		Conductivity piece P U-shape (upper & lower) OD=12 x 20.6 mm / Silver tungsten	AP150.PGW150 Guide unit type KM-3
S008T	3080303 3082582		Conductivity piece P U-shape (upper & lower) OD=12 x 20.6 mm / Cermit	
Not delivery	3080303		Conductivity KM-1 / Flat D=12 x 20.6 mm / Cermit	150W
Not delivery	3081325		Conductivity KM-1 / Flat D=12 x 20.6 mm / Tungsten cabide	150W
S009S	3080301		Conductivity piece P-AWT / U-shape (upper & lower) OD10 / 8 x 30 mm / Silver tungsten	AW330/453 series. EPOC300/500/600/800 series Guide unit type 86-1
S009T	3082580		Conductivity piece P-AWT / U-shape (upper & lower) OD10 / 8 x 30 mm / Cermit	
S009-Sp	3082579		Conductivity piece P-AWT / U-shape (upper) 10 x 8 x 30 mm / Cermit Guide unit t	A350.A500/..W/..H/..WH/..S/..SS/..SSW series AP300/330/450. AW330/453. BF275. EPOC300/500/600/800 series (86-2 slit type)
S010	3085936 3080972 3084592		Conductivity piece 87-3 (upper & lower) 4.8 x 40 x 20 mm Tungsten Carbide	AQ, AD, AG, A, EPOC, AP, PGW, EXC BF JL series AQ. A. EPOC. AP. BF. JL. PGW. EXC. AF series Guide unit type 87-3
S010L	3085936 3080972 3084592		Conductivity piece 87-3 (upper & lower) 4.8 x 40 x 20 mm Pure Tungsten – Long Life Type	
S011(J)	3085263 3110330 11802JA (0291051)		Power feed contact lower 4.9 x 10 x 40 mm	AP200, EXE100 (lower), AQ, AD AG (upper and lower) AP (fine wire option).EXE AF type

Vedenia drôtu






S100	3082983		Diamond split guide AWT Upper	D=0.11 mm	AQ, AD, AG, A, EPOC, AP, PGW, EXC BF JL series
	3081436			D=0.21 mm	
	3085385			D=0.255 mm	
	3083330			D=0.26 mm	
	3083331			D=0.31 mm	

S100T	3087327		Diamond guide upper AF Diamond 50° Taper	0,21	AQ, AD, AG, A, EPOC, AP, PGW, EXC, BF JL series
	3087132			0,26	
	3087329			0,27	
	3087305			0,31	
S100S	J13102A		Diamond guide upper Slide type	0,21	AQ, AD, AG, A EPOC, AP, PGW, EXC, BF JL Series
	J13104A			0,255	
	J13105A			0,26	
	J13108A			0,31	
S101(J)	3083122		Sapphire; split guide AWT	D=0.04 mm	AQ / A / EPOC / AP / BF / JL / PGW / EXC / AF series AWT type
	3081958			D=0.05 mm	
	3080048			D=0.06 mm	
	3081239			D=0.07 mm	
	3082687			D=0.08 mm	
	3081567			D=0.09 mm	
	3080046			D=0.11 mm	
	3080051			D=0.12 mm	
	3080053			D=0.16 mm	
	3080055			D=0.17 mm	
	3080047			D=0.21 mm	
	3080058			D=0.22 mm	
	3081771			D=0,255 mm	
	3080629			D=0.26 mm	
	3080061			D=0.27 mm	
	3081934			D=0.31 mm	
3080063	D=0.32 mm				
S102	3080231		Diamond dies guide Manual type Upper & lower	D=0.05 mm	150W / AP150 / BF275 / EPOC300 / AW Guide unit 83.84.85-2/3 Guide unit KM-1/3 type
	3080232			D=0.06 mm	
	3080233			D=0.07 mm	
	3080234			D=0.09 mm	
	3080235			D=0.10 mm	
	3080236			D=0.105 mm	
	3080237			D=0.11 mm	
	3080238			D=0.12 mm	
	3080240			D=0.16 mm	
	3080241			D=0.17 mm	
	3080243			D=0.205 mm	
	3080244			D=0.21 mm	
	3080245			D=0.22 mm	
	3080247			D=0.255 mm	
	3080248			D=0.26 mm	
	3080249			D=0.27 mm	
	3080250			D=0.31 mm	
	3080251			D=0.32 mm	
	3080512			D=0.155 mm	
	3083135			D=0.08 mm	
3087704	D=0.305 mm				

S103	3080982		Diamond guide	D=0.22 mm	AQ / A / EPOC / AP / BF / JL / PGW / EXC / AF series Without AWT option = Upper & lower With AWT option = Lower 87-3 type
	3080990			D=0.26 mm	
	3081421			D=0.205 mm	
	3081423			D=0.255 mm	
	3080991			D=0.31 mm	
	3080998			D=0.11 mm	
	3080999			D=0.16 mm	
	3081000			D=0.21 mm	
	3081015			D=0.12 mm	
	3081016			D=0.17 mm	
	3081017			D=0.27 mm	
	3081018			D=0.32 mm	
	3081424			D=0.32 mm	
	3081425			D=0.08 mm	
	3081426			D=0.07 mm	
	3081427			D=0.06 mm	
	3081428			D=0.05 mm	
	3081430			D=0.09 mm	
	3081431			D=0.08 mm	
	S103T			3087331	
3087333		D=0.26 mm			
3087131		D=0,27 mm			
S103L	3081136		Diamond long guide 87-3L type Ø3mm AWT taper upper only	D=0.21 mm	A280L.A320L.A series AQ, AD, AG, A, EPOC, AP, PGW,EXC,BF · JL Series
	3081137			D=0.22 mm	
	3081138			D=0.26 mm	
	3081139			D=0.31 mm	
	3081490			D=0.16 mm	
	3081516			D=0.27 mm	
	3081715			D=0.17 mm	
	3081716			D=0.12 mm	
	3081717			D=0.11 mm	
	3081718			D=0.32 mm	
S104	3080202		Diamond guide Not saphire Dies A for AWT OD7.5/5.0 x 6.0 mmT	D=0.05 mm	AQ / A / EPOC / AP / BF / JL / PGW / EXC / AF series AWT Guide unit 83.84.85-2.85.3. 86-1.90.1.90-3.90-5 type
	3080204			D=0.06 mm	
	3080205			D=0.07 mm	
	3080206			D=0.08 mm	
	3080207			D=0.09 mm	
	3080210			D=0.11 mm	
	3080211			D=0.12 mm	
	3080213			D=0.16 mm	
	3080214			D=0.17 mm	
	3080219			D=0.21 mm	
	3080220			D=0.22 mm	
	3080222			D=0.255 mm	
	3080223			D=0.26 mm	
	3080224			D=0.27 mm	
	3080225			D=0.31 mm	
	3080226			D=0.32 mm	
	3080227			D=0.35 mm	





S104-1	3080229		Diamond guide Dies B for AWT OD7.5/5.0 x 6.0 mmT	D=0.40 mm	
	3085043			D=0.60 mm	
S104-FJ	J06539A		AWT Die A Upper & Lower Manual Upper / Lower AF - Lower Sapphire	D=0,05 mm	
	J06541A			D=0,07 mm	
	J06543A			D=0,09 mm	
	J06545A			D=0,12 mm	
	J06547A			D=0,17 mm	
	J06549A			D=0,22 mm	
	J06551A			D=0,27 mm	
	J06553A			D=0,32 mm	
	J06555A			D=0,35 mm	
S105	3080763		Diamond guide high long type Upper & lower Manual type	D=0.21 mm	AP150 - Manual type High long Upper & lower KM-1,3/83,84,85-2,85-3 Type
	3080199			D=0.26 mm	
	0205583			D=0.31 mm	
S106	3080065 3080375		Guide sapphire C for AWT OD=10.0 x id=0.80 mm x 10 mmL Manual type (for upper guide parts)		Upper guide unit 86-1. 87-3 type 87-3, 90-3, 90-5 Type
S107(J)	3080069		Sub guide D for AWT Wire guide upper		EPOC, AW, A BF, AP300 86-1, 86-2 Type
S108	3082269		Sub guide C1 for AWT OD=10.0 x id=2.0 mm T=10 mm for AWF (for lower guide parts)		AQ, AD, AG, A, EPOC, AP, PGW, EXC, BF JL series Upper guide unit 86-1~5. 87-3. 90-1. 90-3 Lower guide unit 87-3. 90-1. 90-3
S108S				Sub guide C1 for AWT OD=10.0 x id=0.75 mm T=10 mm for AWT	
S109 (S101U)			Wire guide upper Dice AQ-1U(S)	0,105	AQ, AD, AG SJ-AWT (Option 0) Single diamond
	118762A			0,11	
	118745A			0,155	
	118758A			0,16	
	118725			0,205	
	118759A			0,21	
	118726			0,255	
	118760A			0,26	
				0,305	
	118727			0,31	
S109-1 (S101U)			Wire guide Upper Dice AQ-1U(W)	0,105	AQ, AD, AG FJ-AWT Double diamond
	3110253			0,11	
	3110259			0,155	
	3110545			0,16	
	3110058			0,205	
	3110546			0,21	
	3110291			0,255	
	3110547			0,26	
				0,305	
	3110067			0,31	
S110	3110135 (0205799)		Guide C10 Upper 0,8		AQ, AD, AG FJ-Type














S120	118720B (0205843)		Jet AWT Nozzle D Upper 1,2	AQ, AD, AG SJ-AWT (Option 0)	
S120-1	11826LA (0205843)		Jet AWT Nozzle NS Upper 1,5	AQ, AD, AG FJ-AWT	
S120P	2995402		Jet Nozzle NS Upper (Plastic)	1,2	AQ, AD, AG FJ-AWT
	2994856			2,0	
SE700			Dies block for S102 dies guide	AW330	
Vodné trysky					
S200	3081591		Water nozzle 2 Guide unit type 85-2	AW330/453 series. BF250/275 series POC300/3W/3WS/5W/6W/8W series GW/GOW/GO series	
S201	3081594		Water nozzle NE guide / Upper & lower D=5 mm for SUS assy 84 type	330W.453W.654W / EPOC3W	
S202	3082085		Rectification nozzles 3WS Upper and lower	AW330.453 / BF275 / EPOC300 Upper & lower Manual type Guide unit type 85-2	
S202A	3080030		Water jacket 3WS assy D=5.0 mm		
S202B	3080593		Adjusting nut 3WS assy		
S202C	3080358		Water nozzle 3WS assy D=5 mm		
S202set	3080639		Water nozzle 3WS assembly		
S203			Nozzle P Upper & lower	id=10mm	AP150 PGW150 Guide unit type KM-3
	3082056			id=6.0mm	
S204	3082055		Water nozzle upper & lower iD=5 mm Guide unit type KM-1	150W	
S205			Water nozzle upper & lower iD=10 mm Guide unit type KM-1	150W	














S206			Water guide with nose upper & lower iD=5 mm Guide unit type KM-1	150W					
S207	3081604		Nozzle C upper / Standard D=6 mm	AQ / A / EPOC / AP / PGW / EXC / BF / JL series 86-2 / 90-1 type with AWT					
	3081606		Nozzle H2 upper / Standard D=10 mm						
	3081868		Nozzle T2 for taper 30° D=12 mm						
	3081608		Nozzle T2 for taper 30° D=16 mm						
	3082997		Nozzle G3 upper Without AWT D=3 mm						
	3082998 118635A		Nozzle G4 upper Without AWT D=4 mm						
S207L	3081682		Long nozzle LN1 upper D=6 x 6.5 mmL	AQ.A.EPOC series. AP200...550 PGW200.EXC100.BF.JL series 86-2 / 90-1 type with AWT					
	3081683		Long nozzle LN2 upper D=10 x 6.5 mmL						
	3081684		Long nozzle LN3 upper D=6 x 11.5 mmL						
	3081685		Long nozzle LN4 upper D=10 x 11.5 mmL						
S207L	3081689		Long nozzle LN5 upper D=6 x 16.5 mmL	A / EPOC / AP / PGW / EXC / BF / JL 86-2 / 90-1 type with AWT					
	3081690		Long nozzle LN6 upper D=10 x 16.5 mmL						
	3082396		Long nozzle LN7 upper D=6 x 26.5 mmL						
	3082397		Long nozzle LN8 upper D=10 x 26.5 mmL						
S208			Water nozzle lower	<table border="1"> <tr><td>Ø 3</td></tr> <tr><td>Ø 4</td></tr> <tr><td>Ø 6</td></tr> <tr><td>Ø 8</td></tr> <tr><td>Ø 10</td></tr> </table> A(350,500) AW(330,453)	Ø 3	Ø 4	Ø 6	Ø 8	Ø 10
Ø 3									
Ø 4									
Ø 6									
Ø 8									
Ø 10									
S209	3081674		Nozzle A D=6 mm	A / EPOC / AP / PGW / EXC / BF / JL / W / AP / AQ / AD / AG Series 87-3 type OD=29.8/22.0/16.0 mm L=16.3 mm AWT =lower Manual=upper&lower					
	3081675		Nozzle H1 D=10 mm						
	3081676		Nozzle B D=8 mm						
	3081867		Nozzle T1 for taper 30° D=12 mm						
	3082156		Nozzle E2 D=2 mm						
	3082207		Nozzle E4 D=4 mm						

S209L	3085338		Nozzle LA S209 id=6.0mm	L=4.0mm	A. EPOC. AP. PGW. EXC. BF. JL
	3085339		Nozzle LA10 S209 id=6.0mm	L=10mm	
	3085340		Nozzle LA15 S209 id=6.0mm	L=15mm	
	3085341		Nozzle LA20 S209 id=6.0mm	L=20mm	
	3085342		Nozzle LA25 S209 id=6.0mm	L=25.4mm	
	3085343		Nozzle LA50 S209 id=6.0mm	L=50mm	
S209-1	3086396		Float nozzle S / Lower without O-ring AWT	D=6 mm	PGW200, EXC100S, EXC100, AP200 AP200L.450L 90-3 type O.D=34.8 mm - 12.8 mm L=17.0 mm
	3086742		Float nozzle T / Lower without O-ring AWT	D=12 mm	
	3086746		Float nozzle F / Lower without O-ring AWT	D=10 mm	
S209AS	3081679		Water nozzle standard without O-ring D=6.0mm		A350W, A500W L=16.8mm
S209W	3086386		Float nozzle S lower standard without O-ring	D=6.0 mm	EXC, A, AD, AG Series AQ. series. AP300...550 series 87-3 type AWT O.D=29.8 mm - 12.8 mm L=17.6 mm
	3086443		Float nozzle F lower without O-ring	D=10 mm	
	3086486		Float nozzle T lower without O-ring	D=12 mm	
	Special		Float nozzle S lower without O-ring	D=4.0 mm	
S209FJ/6	3110303 11802ID (0205448)		Water Nozzle Lower	D=6.0mm	AQ, AD, AG series FJ-AWT
S209FJ/10	3110461 11808JA (0205530)		Water Nozzle Lower	D=10.0mm	AQ, AD, AG series FJ-AWT
S209FJ/6-L			Water Nozzle Lower Long type	L1 + 6,5mm L2 +11,5mm L3 +16,5mm L4 +26,5mm	AQ, AD, AG series FJ-AWT
S210	3082603		Nozzle lower D=3.0 mm Lehmann type AWT		A280L.....L series













Náhradné diely

S301	3080178		Isolator plate upper 90-1 type AWT	50 x 66 x 16 mm	
S302	3082518		Guide block ceramic for compact cylinder (connected with S5013-set) Center hole = 13.5 mm	77 x 50 x 20 mm	A530D....etc 90-1/87 type AWT
S303A			Ceramic block for AQ type 97 different AQ325/537 series (refer to S303B) Distance 36mm	57.5 x 50 x 20 mm	AQ325. AQ535
S303B			Ceramic block for AQ type 97 different AQ325/535 series (refer to S303A) Distance 26mm	57.5 x 50 x 20 mm	AQ327. AQ537

S304			Isolator plate	50 x 70 x 24 mm	EPOC series
S400	3050098		Pulley "E" for wire evacuation belt SUS type / AS-5543	OD=25 x 24 mm	AP200/450 AW. EPOC.E110.BF series AWT
S400-1			Shaft for pulley "E"		
S400C	3050131 3050161		Pulley "E" ceramic assembly with 2 mm groove for wire evacuation belt OD=25mm		BF275 / EPOC series BF-AWT
S400C-1			Ceramic pulley only for S400C With 2 mm groove		
S400C/F	3050047		Pulley "E" assembly for belt Ceramic flat type without groove OD=25 mm		AW series
S400C/F-1	3052384		Ceramic pulley only for S400C/F Flat type without groove OD=25 mm		AW series
S400L			Pulley "E" OD25 x 77 mm		
S401			SS626LLB Bearing for pulley S400		16 x 18
S405			Roller upper for wire belt		AP200
S405-set			Roller assembly upper for wire belt		AP200
S406	3086387		Nozzle guide lower for S209W 38 x 38 mm		JL, EPOC, AW, BF, PGW, EXC, AP, A, AQ, AD, AG AQ325/530L - AWT
S406-1	3086221 435196A 0205140		Spring ring lower for float nozzle		JL, EPOC, AW, BF, PGW, EXC, AP, A, AQ, AD, AG AQ series AP300...550 series
S407	3081032		Nozzle guide for S209 Lower for AWT, manual type		AQ.A.EPOC series. AP200...550. JL. PGW200.EXC100.BF 87-3 type



S407-1	3082668		Nozzle base for S209 Lower for manual type	AQ.A.EPOC series. AP200...550. JL. PGW200.EXC100.BF 87-3 type
S408	3082526 3082804		Nozzle base upper for S207 50 x 50 mm	AQ.A.EPOC series. AP200...550. JL. PGW200.EXC100.BF 90-1 type
S408L			Nozzle guide upper	A350, A500
S409	3082629		Nozzle guide lower for S209 D = 22 mm	L, EPOC, AW, BF, PGW, EXC, AP, A, AQ, AD, AG
S409-1	3082629 3086537		Nozzle guide lower for L series for S209W D = 18 mm	L, EPOC, AW, BF, PGW, EXC, AP, A, AQ, AD, AG
S409-2	B12193D		Nozzle guide lower	AQ537, AG600
S409-3			Nozzle guide lower 6 holes	
S410			Urethane roller upper OD100 x id10 x 20 mm	A500.A350.AP330. AP150
S411	3051581		Urethane roller upper OD100 x id12 x 20 mmH	A500. A-series AP330.AP150.A350
S412	3051572		Urethane roller upper OD100 x id10 x 20 mmH Shaft 32mm	BF.A.AP. series A530D
S412-1				
S412EP			Urethane roller with groove	Epoc series
S413			Urethane roller upper OD100 x id6.0 x 20 mmT	BF275 old type











S414A	3052147		SUS feed roller "B" OD70 x id12 mm	A500W-Old type
S414A-C	3052147		Ceramic feed roller "B" OD70 x id12 mm	A500W-Old type
S414C	3052991 3052771		Ceramic feed roller "B" OD70 x id22 mm	A500W.A320D.A530D
S414-1	3055914		Roller B Feed Section Ceramic + gear	AQ-Series
S414-2	118535D		Roller L Eject Section Ceramic	AQ327L, AQ300L, AQ537L
S415A	3052772 3052992		SUS feed roller "C" OD70 x iD22 mm Ceramic + gear	A500W-Old type
S415A-C	3052772		Ceramic feed roller "C" OD70 x iD22 mm	A500W old type
S415C	3052992		Ceramic feed roller "C" OD70 x id24 mm	A500W.A320D.A530D
S415-1 R	3055915		Roller C Feed section Ceramic + gear	AQ-series
S415-2 R	118534C		Roller U Eject section	AQ327L, AQ300L, AQ537L
S415A-1			Shaft OD32 x id8.0mm L=36.5mm	A500W old type
S415-1			Shaft OD32 x id12mm L=35mm	
S412-2			Wire guide block	A530''Q'' series













S416	3053703 3052324		Tension urethane roller upper OD100 x id12 x 20 mmH 2 x M5 Shaft 35mm	A530D.AQ325. AQ325L.A350W. A500W series
S416-1			New Nr. S418 Urethane roller for light weight type	
S417	3053703 3054678		Tension urethane roller upper OD100 x id19 x 20 mmH 2 x M5	AQ325L.535L. AQseries AP200
S417-1			Tension urethane roller upper OD100 x id8.0 x 20 mmH 2x M	AQ325L AP200
S418	3051534		Urethane roller for light weight type OD100 x id12 x 20 mmH	A320.A530D
S419			Wire guide base	EPOC5W/6W/8W/ 330W with cap
S417(J)			Dies block for S102 dies guide	EPOC-5W/6W/8W/ AW330 Manual type
S418(J)			Wire guide cap upper & lower	EPOC-5W/6W/8W/ AW330 Manual type
S419(J)	3054678		Urethane roller Tension *F* Roller Shaft 31,8 ID=19mm ID=20mm (depends on machine)	AQ535L.AQ550L AP200L
S420(J)	3052979		Roller Ø40x20mm	AQ, AG series
S420	3052771		Dies drive OD= 22mm	
S421	3110304 11802HC (0205480)		Spring Ring FJ Lower FJ-AWT for S209FJ	AQ, AD, AG
S422	3110316		Nozzle Base FJ Lower FJ-AWT	AQ,AD,AG
S500	3080035 3080689		Cutter upper for AWT	JL, EPOC, AW, BF, PGW, EXC, AP, A, AQ, AD, AG

S500-1			Cutter spring OD10.5 mm	W400135D
S501	3091130		Cutter	
S502	3091131		Cutter	
S503	3091162		Brush	
S501 B			Felt pad for all M/C type	All M/C
S505	3054736		Pulley-B Unit Upper MW402811N	AQ,AD
S506	3054274		Felt A Ø30x6,5x5mm Wire feed Unit MW409946A	AQ325L, AG400, AG600
S507	3054275		Felt B Ø30x3,5x5mm Wire feed Unit MW409947A	AQ325L, AG400, AG600
S508	A12961D (0205880)		Lower electrode Ø6x10x28mmL Cylinder-shaped MT500196D	AG400L, AG600L
S509	C12420B (0205881)		Lower Electrode 20x20x14mm MT502325B	AG400L, AG600L
S510	A12947C (0205882)		Intermediate electrode MT500177C	AG400L, AG600L
S600	3080375		AWT pipe upper OD=2.0 x id1.0 mm L=285 mm	A500.A530D.A325.EX C100.AP200L. AP450L 85AWT
S600-1	3080374 3082269		AWT pipe upper OD=2.0 x id0.7 mm L=285 mm	
S600-2	3083256 3080069		AWT pipe upper OD=2.0 x id0.5 mm L=285 mm	
S601	3083123 3080297		AWT pipe upper for fine wire OD=2.0 x id1.0-0.3 mm L=285mm	AP200L .450L 85 AWT fine wire

S602	3082452		AWT pipe upper OD=2.0 x id1.0 mm L=152 mm		A300.A320.BF275
S603	3085966		AWT pipe upper OD=2.0 x id1.0 mm L=275 mm		AQ600L.AQ550L 97AWT
S603-1	3085967		AWT pipe upper OD=2.0 x id0.7 mm L=275 mm		AQ600L.AQ550L 97AWT
S604	436937C		AWT pipe upper OD=2.0 x id1.4 mm L=285 mm		AQ327L/537L/750L/ 900L AP series
S604-1	436849C		AWT pipe upper OD=2.0 x id1.0 mm L=285 mm		
S604-2	436850C		AWT pipe upper OD=2.0 x id0.7 mm L=285 mm		
S604-3	436851C		AWT pipe upper OD=2.0 x id0.5 mm L=285 mm		
S605	3110014 (0206138)		AWT Pipe 3,0-2,0	L=250mm	AQ400L, AQ600L, AG360L
S605-1	11802FA (0206164)		FJ AWT	L=280mm	AG400L, AG600L
S606	3110879 (0206168)		AWT Pipe 3,5-3,1	L=307mm	SL400G, SL400Q SL600G, SL600Q
S606-1	3110826 (0206167)		FJ AWT	L=230mm	AP650L
S700	3080711		AWT slide belt L=335 mm		J, G, EPOC, BF, PGW AP, A, AQ A350.A600W 85AWT
S701	3082451		AWT slide belt L=195 mm		A325.A300.A320 BF275
S702	3081706		AWT slide belt L=385 mm		A750.A500H.A350H 97AWT
S703	3080696		Spring for AWT slide belt		All type
S800	4130966		Discharge cable L=80 mm		All machines
S801	4130799		Discharge cable L=900 mm SQ8.0		All machines
S802	4130894		Discharge cable L=1100 mm SQ8.0		
S803	4133356		Discharge cable L=1200 mm SQ8.0		
S803-1			Discharge cable – double L=1200 mm SQ8.0		
S804	4130848		Discharge cable L=1500 mm SQ8.0		

S805	4130695		Power cable SQ8.0 L=360 mm	330W
S806	4130485		Power cable SQ8.0 L=610 mm	330W
S807	4130620		Power cable SQ8.0 L=920 mm	330W
S808			Power cable SQ3.5 L=250 mm	
S809	4131231		Discharge cable L=300 mm	A600
S810	413232		Discharge cable L=600 mm	
S811			Discharge cable L=800 mm	
S812	4131242		Jumper cable L=1450 mm	
S813	4130695		Power cable L=360 mm	
S814	4130485		Power cable L=610 mm	
S815	4130620		Power cable L=920 mm	
	4130611		Discharge cable A350 series set 6 pcs-900mmL	
	4130863		Discharge cable A500 series set 4 pcs-900mmL + 4 pcs-1000mmL	
S805 R	11615HA		Discharge cable L=450mm	AG400 Upper
S805-1 R	11615XA		Discharge cable L=750mm	AG400 Lower
S806 R	216422A		Discharge cable L=500mm	AQ - series
S807 R	3087260		Discharge cable L=650mm	
S808 R	3087630		Discharge cable L=850mm	
S809 R	116681A		Discharge cable L=950mm	
S810 R	3087631		Discharge cable L=1050mm	
S901	3090004			Wire Alignment Block

Z041S			Flow Meter	All machines
S5001	3052518		Replaced by S302 Ceramic plate for guide block upper 77 x 50 x 24 mm	AWT
S5003	3080653		Guide shaft for AWT	
S5004	3083108		Guide shaft for AWT	
S5005	3082521		Side block upper with AWT	AWT
S5008	3080978		Insulation block lower ceramic	BF275 EPOC500/600/800
S5009	3081297		Insulation block lower	EPOC1100. AP450/330 series
S5010	3052148		Shaft bevel gear type for Roller B	A350.A500
S5012	3082519		Die block upper for new type AWT	AWT
S5012-1			Die cover for upper die block S5012 OD35 x 3.0 mmT	AWT
S5012-set	3082519		Die block upper assembly upper with flange. nozzle. guide . guide "C"	
S5013	3081247		Conductivity block F (S5013-1) assembly with flanges Upper & lower	BF275 A.EPOC series
S5013-1			Conductivity block F (S5013-1)	BF275 A.EPOC series

S5013-1			Conductivity block upper F for AWT	BF275 A.EPOC series
S5013-2	3050952		Guide bolt – M6 OD12 x 75.5 mm	BF275 A.EPOC series
S5014	3082120		Die block upper assembly	A300.A320.A530 Manual
S5014-1	3082120		Die block upper only	A300.A320.A530 Manual
S5017	3082520		Flange upper	A series AWT
S5018	3082119		Flange upper	A series Manual
S5021	3083114		Flange lower	A series AWT
S5022	3083114		Flange lower	A series Manual
S5023	3081035		Electric pin	A.EPOC series
S5025	3051072		Jet nozzle set Brass materiál L=67.2 mm	A350.A500
S5026	3081247		Aspirator block large	A530D
S5027	3081247		Aspirator block small	A280/300/320
S5028 S504	118005A 3051507		Aspirator nozzle A / Plastic material OD16 x id1.0 x 25 mm	A280.A300.A320. A530

S5029 S504-1	3053081		Aspirator nozzle B / Plastic material OD16 x id2.0 x 40 mm	A280.A300.A320. A530
S5030 S504-2	3053082		Aspirator nozzle C / Plastic material OD12 x id1.5 x 26.5 mm	A530
S5031	3051202		Pulley B (S5032) assembly set with bearing SS688ZZ (OD=15mm) OD= 68 mm	A530D.325D. A-series
S5032	3051799		Pulley B ceramic for lower block OD= 68 mm	A530D.325D. A-series
S5034	3051262		Block ceramic for pulley "B" 72 x 58/30 x 25 mmT	A500.A500H
S5034A			Block ceramic for pulley "B" 72 x 58/30 x 25 mmT	ACE series (Doosan)
S5035	3051255		Pipe holder for pulley "B" 55 x 28/10 x 25 mmT	
S5035A			Pipe holder for pulley "B"	ACE series (Doosan)
S5040	3050812		Ceramic pulley E-set assembly OD=32 mm	BF275 (AS5614)
S5041	3052167		Ceramic pulley "E" assembly with groove OD=40 x id19 x 24mm	EPOC1100 (AS5629A)
S5044AP	3052167		Ceramic pulley "E" with groove 2.0mm OD=40 x id19 x 24mm	AP series
S5045	3050152		Ceramic pulley "E" with groove OD=40 x id19 x 24mm	
S5048	3052149		Feed roller "B" OD50 x 24mmT	BF275
S5048-1			Roller shaft for feed roller "B" OD15 x 173 mmL	BF275

S5048-2			Roller shaft for feed roller "B" OD15 x 163 mmL	BF275
S5065	3030250		Bellows X	A500
S5050	3050193		Roller C D=50 x 40mmT	EPOC600/800
S5050-1	3050345		Shaft "D" OD20 x 158 mm	EPOC600/800
S5050-2	3050351		Shaft "C" OD180 x 184 mm	EPOC600/800
S5050-3	3050347		Shaft "B" OD18 x 180 mm	EPOC600/800
S5050-4	3050349		Shaft "A" OD18 x 144 mm	EPOC600/800
S5053	3050193		Roller "C" only Need bearing SS6001LLU (F502) OD50 x id28 x 24 mm	A300.A320.A530
S5053A			Roller "C" only Need bearing SS6002LLU OD50 x id32 x 24 mm	A300.A320.A530
S5053-1			Wire guide block 52 x 35 x 30 mm	A320D
S5057			Pipe	A300.A320
S5058	3051945		Pipe	A500
S5059	3051947		Pipe	A350
S5060			Pipe	A530
S5061			Pipe	A600
S5062	3052361		Pipe	A750
S5063			Pin connector OD16 x id10 x 27mm	A320D.A280L

S5064	3051557		Pin connector OD16 x id10 x 50mm	A530D
S5066	3001001		Bellows Z upper 440 x 30 mm	A500
S5073	3080625		Bellows B 150 x 30 mm	EPOC 600
S5075	3030105		Bellows Y 120 x 40 mm	EPOC800
S5077	3021390		Bellows X 150 x 25 mm	EPOC1100
S5079	3081463		Bellows Y 122 x 25 mm	BF275
S5082			Casing unit for standard type	A350.A500.A530 EPOC series
S5083			Casing unit for PIKA -4/BS type	BF275. A320
S5086			Alinement block for manual type < 5 micro-meter	Manual type
S5087	3080795		Air - hydraulic unit	For AWT type
S5088	3082061		Conductivity piece adjusting gauge	
S5089	3081039		Gauge ring OD= 30 mm	A.EPOC.AP.AQ series
S5090	3050314		Bobbin shaft	BF275. EPOC series
S5091	3050646		Roller plate for gear type series	A350.A500
S5091-1	3051345		Clamp shaft for plate S5091.S5092	A350.A500

S5092			Roller plate for belt type series	A350.A500
S5093			Roller plate for belt type series	A350.A500
S5094			Suction block	A series
S5094-1				
S5109	2040849		Bevel gear OD32 x id10mm T=17mm	A350.A500
S5110	3052148		Shaft for roller "B" bevel gear type OD18 x 122 mm	A300.A320.A530
S5111	3052148		Shaft for roller "B" - timing belt type OD18 x 122 mm	A300.A320.A530
S5113			Shaft for roller "B" bevel gear type OD20 x 113 mm	A300.A320.A530
S5119			Pick-up suction	A series
S5120			Nozzle guide 45(R:53) x id18 mm T=10.5 mm	AQ327.AQ537
			Guide Driver	

Pásy				
				
S501 S502 S503	3050123 3050117 3050120		18 x 465 mm 18 x 2600 mm 18 x 3155 mm	Front wire conveyer belt (B type) 330W /A-set
S504 S505 S506	3050123 2040061 2040068		18 x 465 mm 18 x 2680 mm 18 x 3235 mm	Front wire conveyer belt (B type) AW330.AP300 /B-set
S507 S508	3050125 3050126		42 x 1590 mm 42 x 1665 mm	Wire conveyer belt (C type) 330W.AW330.AP300 /AB-set
S509 S510 S511	3050123 3050118 3050121		18 x 465 mm 18 x 2700 mm 18 x 3255 mm	Front wire conveyer belt (B type) 453W /A-set
S512 S513	3050127 3050128		42 x 1915 mm 42 x 2010 mm	Wire conveyer belt (C type) 453W /A-set
S514 S515 S516	3050123 2040062 2040069		18 x 465 mm 18 x 2780 mm 18 x 3335 mm	Front wire conveyer belt (B type) AW453 /B-set
S517 S518	2040076 2040077		42 x 1945 mm 42 x 2040 mm	Wire conveyer belt (C type) AW453 /B-set
S519 S520 S521	2050115 2050119 2040074		18 x 1340 mm 18 x 2960 mm 18 x 3840 mm	Wire conveyer belt (B type) 654W /A-set
S522 S523 S524	2040048 2040066 2040075		18 x 1350 mm 18 x 3034 mm 18 x 3950 mm	Wire conveyer belt (B type) 654W /B-set
S525 S526	2040774 2040773		18 x 3045 mm 18 x 3085 mm	Wire conveyer belt (A1 type) AP200 /A-set
S527 S528	2040814 2040813		18 x 3434 mm 18 x 3475 mm	Wire conveyer belt (A1 type) AP200 /B-set
S529 S530	2040996 2040995		18 x 3670 mm 18 x 3715 mm	Wire conveyer belt (A1 type) AP200.PGW200 /C-set
S531 S532	2040610 2040611		18 x 3895 mm 18 x 3970 mm	Wire conveyer belt (A1 type) AP330.AP450 /B-set
S533 S534	2040779 2040817		18 x 3870 mm 18 x 3820 mm	Wire conveyer belt (A1 type) AP330.AP450 /C-set
S535 S536	2040497 2040053		18 x 1705 mm 18 x 1740 mm	Wire conveyer belt (A2 type) EPOC3WS.EPOC300 /A-set
S537 S538	2040138 2040139		18 x 1690 mm 18 x 1785 mm	Wire conveyer belt (A2 type) EPOC300 /B-set
S539 S540	2040049 2040050		18 x 1595 mm 18 x 1630 mm	Wire conveyer belt (A2 type) EPOC500 /A-set
S541 S542	2040140 2040141		18 x 1580 mm 18 x 1675 mm	Wire conveyer belt (A2 type) EPOC500 /B-set
S543 S544	2040055 2040056		18 x 1795 mm 18 x 1830 mm	Wire conveyer belt (A2 type) EPOC600 /A-set
S545 S546	2040142 2040143		18 x 1780 mm 18 x 1875 mm	Wire conveyer belt (A2 type) EPOC600 /B-set

S547 S548	2040058 2040059		18 x 1985 mm 18 x 2020 mm	Wire conveyer belt (A2 type) EPOC800 /A-set
S549 S550	2040144 2040145		18 x 1970 mm 18 x 2065 mm	Wire conveyer belt (A2 type) EPOC800 /B-set
S551 S552	2040536 2040634		18 x 2360 mm 18 x 2520 mm	Wire conveyer belt (A2 type) EPOC1100.AP1100
S553 S554	2040534 2040535		18 x 1370 mm 18 x 1390 mm	Wire conveyer belt (A2 type) BF275AWT /A-set
S555	2041088		18 x 1890 mm	Conveyer belt (A1 type) EXC100.EXC100S 2 PCs/set

* A1 type : z oboch strán pogumovaný (šírka 18 mm)

* A2 type : z jednej strany pogumovaný (šírka 18 mm)

* B type : SG typ pásu (šírka 18 mm)

* C type : SG typ pásu (šírka 42 mm)